

Solderless Terminals

RINGS, INSULATED



Part No.	Wire Size (AWG)	Stud Size	Pkg. Qty.
N6236L	22-18	8	50
N6272L	16-14	8	50
N6216L	16-14	10	50
N6252L	12-10	10	50
N6253L	12-10	1/4"	50
N6257N	8	1/4"	25

BUTT CONNECTORS, INSULATED




Part No.	Wire Size (AWG)	Pkg. Qty.
N6232L	22-18	50
N6217	16-14	24
N6217L	16-14	50
N6231	12-10	19

BULLET PLUG AND RECEPTACLE, INSULATED



Part No.	Wire Size (AWG)	Tab Size (In.)	Pkg. Qty.
N6285L	16-14	Plug/.157	50
N6286L	16-14	Receptacle/.157	50

SLIP-ONS, MALE, INSULATED



Part No.	Wire Size (AWG)	Tab Size (In.)	Pkg. Qty.
N6219	16-14	.250	24

SLIP-ONS, FEMALE, INSULATED



Part No.	Wire Size (AWG)	Tab Size (In.)	Pkg. Qty.
N6235L	22-18	.250	50
N6214C*	16-14	.250	100
N6218	16-14	.250	24
N6218L	16-14	.250	50
N6251	12-10	.250	19
N6251L	12-10	.250	50
N6282L	22-18	.187	50
N6281L	16-14	.187	50

*Not Insulated

SLIP-ONS, FULLY INSULATED



Part No.	Wire Size (AWG)	Tab Size (In.)	Gender	Pkg. Qty.
N6229L ¹	16-14	.250	F	50
N6233L	16-14	.250	F	50
N6234L	16-14	.250	M	50

¹With insulated grip

FLAG SLIP-ONS, FEMALE



Part No.	Wire Size (AWG)	Tab Size (In.)	Insulated	Pkg. Qty.
N6213C	16-14	.250	No	100
N6277N	16-14	.250	Yes	25
N6224C	12-10	.250	No	100

Solderless Terminals

FLAG SLIP-ONS FOR COMPRESSORS, FEMALE



N6271



N6258C



N6270L

Part No.	Wire Size (AWG)	Tab Size (In.)	Pkg. Qty.
N6271	18-16	.090 Pin	17
N6258C	16-14	.250	100
N6270L	12-8	.250	50

TERMINAL BLOCKS



N6183

Part No.	Description
N6183	6 Position, 20A, 250V, 14 AWG Maximum
N6185	10 Position, 20A, 250V, 14 AWG Maximum
N6187	14 Position, 20A, 250V, 14 AWG Maximum
N6193	6 Position, 30A, 600V, 12 AWG Maximum
N6195	10 Position, 30A, 600V, 12 AWG Maximum

SPADES, INSULATED



N6255L



N6227

Part No.	Wire Size (AWG)	Stud Size	Pkg. Qty.
N6237L	22-18	8	50
N6274L	16-14	6	50
N6227L	16-14	8	50
N6228L	16-14	10	50
N6255L	12-10	10	50

SPRING SPADES, INSULATED



N6238L

Part No.	Wire Size (AWG)	Stud Size	Pkg. Qty.
N6238L	22-18	8	50
N6239L	16-14	8	50
N6276L	16-14	8	50

TAB ADAPTERS



N6210



N6211C



N6212

Part No.	Description	Tab Size (In.)	Pkg. Qty.
N6210	1 Male / 1 Female	.250	24
N6211C	2 Male / 1 Female	.250	100
N6212	2 Male / 1 Female	.250	24

DEAD END CONNECTORS, INSULATED



N6223L

Part No.	Wire Size (AWG)	Pkg. Qty.
N6222L	22-14	50
N6223L	16-10	50
N6250N	18-8	25

TERMINAL REPAIR KITS



Each kit includes:

- Set of 3 color coded wires with brass cylinder and stainless steel set screws
- Application Wrench

Part No.	Description
TLC310	10 Gauge Compressor Stake Kit
TLC312	12 Gauge Compressor Stake Kit

Solderless Terminals

TERMINAL KITS



Kit Part No.	6211	6213	6216	6217	6218	6224	6231	6251	6252	6255	6227
N6200A Qty Included in Kit 16-14 Wire Range, Stud Sizes 8 & 10	15	20	10	10	15	—	—	—	—	—	10
N6200D Qty Included in Kit 12-10 Wire Range, Stud Size 10	10	—	—	—	—	10	10	10	10	15	—

Cable Ties & Clamps

NYLON CABLE TIES



N6262BC

Part No.	Color	Length (In.)	Max. Diameter (In.)	Tensile Strength	Package Qty.
N6261L	White	5	1 3/8	40 Lbs.	50
N6262L	White	7	1 3/4	50 Lbs.	50
N6262M	White	7	1 3/4	50 Lbs.	1,000
N6263D	White	11	3	50 Lbs.	500
N6263L	White	11	3	50 Lbs.	50
N6262BC	Black	7	1 3/4	50 Lbs.	100
N6262BM	Black	7	1 3/4	50 Lbs.	1,000
N6263BC	Black	11	3	50 Lbs.	100
N6263BD	Black	11	3	50 Lbs.	500
N6265BC	Black	14	4	50 Lbs.	100
N6264N	White	7	1 3/4	50 Lbs.	25

*Has mounting hole

DUCT TIES



Part No.	Color	Length (In.)	Max Diameter (In.)	Tensile Strength	Package Qty.
L24175	UV Black	24	7	175 Lbs.	50
L30175	Black	36	9	175 Lbs.	50
L36175N	Natural	36	11	175 Lbs.	50
L48175	Black	48	14	175 Lbs.	50

CABLE TIE MOUNT



Part No.	Description	Package Qty.
N6269L	1", Adhesive Backing	50

NYLON CABLE CLAMPS



Part No.	Pipe OD (In.)	Width (In.)	Thickness (In.)	Package Qty.
N5381	1/8	3/8	0.05	54
N5382	1/4	3/8	0.05	45
N5383	3/8	1/2	0.06	41
N5384	1/2	1/2	0.06	39
N5385	5/8	1/2	0.06	37

Wire & Service Cords

HOOK-UP WIRES



N632R

- Stranded
- Capacity—600V
- 48' lengths
- UL Listed

Part No.	Gauge	Color
N632B	16	Black
N632R	16	Red
N632W	16	White
N633B	14	Black
N633R	14	Red
N633W	14	White
N634B	12	Black
N634R	12	Red
N634W	12	White
N635B	10	Black
N635R	10	Red
N635W	10	White
N631B	8	Black
N631R	8	Red

THERMOSTAT WIRE



Part No.	Gauge	Conductors	Length (Ft.)
N6336	18	3	40
N6337	18	5	40

SJT SERVICE CORD



- 300V capacity
- UL listed

Part No.	Gauge	Conductors	Length (Ft.)
N6341	16	3	20
N6343	14	3	20

Electrical Supplies

WIRE NUTS



Color-coded connector shells are made from high dielectric, smooth polypropylene plastic to eliminate porosity and surface cracking. Resists practically all chemical action—unaffected by gasolines, oils, diluted acids and alkaline solutions. Heat-resistant up to 105°C (221°F).

Part No.	Description	Pkg. Qty.
N6291C	Grey, Mini, Non-Winged	100
N6292C	Blue, Mini, Non-Winged	100
N6293C	Orange, Small, Non-Winged	100
N6294C	Yellow, Medium, Winged	100
N6296C	Red, Large, Winged	100
N6295	Assortment: Yellow (15), Orange (15), Grey (15), Red (10)	55

HEAT SHRINK TUBING



- Assorted 6" lengths.
- Includes 2 of each

Part No.	Includes
N6370	1/8" Black, 1/8" White, 1/4" Black, 1/4" White, 1/2" Black, 1/2" White

CABLE STAPLES



N0274

Part No.	Description	Pkg. Qty.
N0273	Insulated Staples, 5/8" x 1/4"	50
N0274	Romex Staples, 1/2" x 1"	350


CABLE MARKERS



Made of vinyl impregnated cloth and mounted on dispenser cards in a portable book. All markers are designed for both above and below ground applications.

Part No.	Description
N1002	"A-Z" and "0-15"
N1003	"#1 to #45"

TEST LEADS AND CLIPS



Part No.	Description	Package Qty.
N5031	Leads, Color Coded, Alligator Clip, Small	8
N5032	Leads, 18" Wire, Alligator Clip, Medium	2
N5035	Alligator Clip, 2", Medium	4
N5036	Test Clip, 2 1/2", Large	2
N5042	EZ Hook, 18 Ga.	2
N6025	Compressor Lead Kit	3

ELECTRICAL TAPE



Part No.	Description	Width (In.)	Roll Length (Yd.)
N5255	General Purpose Vinyl Tape	3/4	66

PLUGS AND ADAPTERS



Part No.	Description	Package Qty.
N0179R	Plastic Handle Plug w/Flexible Spring Prongs, 2 Pole, 2 Wire, 13/32" Cord Hole 15A-125V	2
N2867	Armored Plug, Male, 2 Pole, 3 Wire 15A-125V	1
N2887	Armored Connector, Female, 2 Pole, 3 Wire, 15A-125V	1

TROUBLE LIGHTS AND EXTENSION CORDS



Part No.	Description
N5200	Trouble Lamp, 25' Cord, 13A, 125 V
N5201	Trouble Lamp, 50' Cord, 13A, 125V
N5231	75W Rough Service Bulb
N5232	100W Rough Service Bulb
N5230	Extension Cord (3 Outlets), 25'
N5229	Extension Cord, 50', 15A, 125 V
N5228	Heavy Duty Clamp On Light with Reflector

CONDUIT FITTINGS



Part No.	Description	Package Qty.
N1311	BX Connector, 1/2" Knockouts, 3/8" Trade	25
N1315	90° Connector, Steel Cover, 1/2" Knockouts, 3/8" Trade	3
N1318	Duplex Connector, Clamp Type, 1/2" Knockouts, 3/8" Trade	2
N1320	Romex Connector, Clamp Type, 1/2" Knockouts, 3/8" Trade	25
N1327	Split Bolt Connector, #8 Wire	3
N1328	Split Bolt Connector, #6 Wire	3
N1301	Conduit Bushing, 1/2" Offset	2
N1303	Conduit Bushing, 1/2" Straight	2
N0028	Bushing, Screw-On Washer	5
N0331	Anti-Short Bushing, 14/2, 14/3, 12/2, 5/16	35
N0310	Reducing Washer, 3/4"-1/2"	28
N1306	One Hole EMT Strap, 1/2"	20
N1307	One Hole EMT Strap, 3/4"	12
N1304	One Hole EMT Strap, 1"	8
N1305	One Hole EMT Strap, 1 1/4"	8

CONDUIT TUBING



Part No.	Description
12SEALTITE	1/2" Non-Metallic Liquid Tight Conduit, 100' L
34SEALTITE	3/4" Non-Metallic Liquid Tight Conduit, 100' L


FLEXIBLE CONDUITS



- Non-metallic liquid tight conduit fitting
- Sealtight connection x box fitting

Part No.	Description
LT7500	1/2" Straight Connection
LT7501	3/4" Straight Connection
LT7504	1/2" 90° Connection
LT7505	3/4" 90° Connection
LT7508	1/2" 45° Connection
LT7509	3/4" 45° Connection

HVAC WHIPS



Part No.	Length (Ft.)	Connector (In.)	Wire Size
N63124	4	1/2	#10
N63126	6	1/2	#10
N63344	4	3/4	#8
N63346	6	3/4	#8

Boxes & Covers

FUSE, RECEPTACLE & COVER



Part No.	Description
N0381	Fuse/Outlet and Cover, 1/2 HP, Single Pole Switch, 125V

Boxes & Covers

ELECTRICAL BOXES



N0360



N0362

Part No.	Description	Dimensions (In.)		
		W	L	D
N0360	Utility, 1/2" Knockouts	2 1/8	4	1 7/8
N0361	Utility, 1/2" Knockouts, Deep	2 1/8	4	2 7/8
N0362	1900 Shallow, 21.0 cu. in., 1/2" and 3/4" Knockouts	4	4	1 1/2
N0363	1900 Deep, 30.3 cu. in., 1/2" and 3/4" Knockouts	4	4	2 1/8
N0364	Octagon, 1/2" and 3/4" Knockouts	4	4	1 1/2

BOX & SWITCH COVERS



N0365



N0366



N0375



N0369



N0373



N0384

Part No.	Description	Size (In.)	Finish
N0365	Wall Switch Utility Cover	2 1/8 x 4 1/8	Plated
N0366	Duplex Receptacle Cover	2 1/8 x 4 1/8	Plated
N0367	Utility Cover, Blank	2 1/8 x 4 1/8	Plated
N0372	Octagon, Electrical Box Cover, Blank	3 5/8 x 3 5/8	Plated
N0375	Utility Box Cover, 250V Receptacle	2 1/8 x 4 1/8	Plated
N0368	Wall Toggle Duplex Cover	4 x 4	Plated
N0369	Square Cover/Duplex Receptacle	4 x 4	Plated
N0371	Square Cover, Blank	4 x 4	Plated
N0377	Single Wall Toggle Utility Cover	4 x 4	Plated
N0373	Oil Burner Cover	4 x 2 1/8	Red
N0374	Gas Burner Cover	4 x 2 1/8	Red
N0384	Weatherproof Box with Switch and Cover	4 9/16 x 2 7/8 x 2 1/8	Plated

Receptacles & Switches

RECEPTACLES



N1876



N0270

Part No.	Description
N0270	Duplex Receptacle, 2 Pole, 3 Wire, 15A-125V
N0877	Duplex Receptacle, 2 Pole, 3 Wire, 20A-125V
N1876	Single Receptacle, 2 Pole, 3 Wire, 20A-250V

WALL SWITCHES



N1238

Part No.	Description
N0777	On-Off, 15A, 120V
N1238	Silent, 1 Pole, 20A-120/277 Vac
N1262	Silent, 2 Pole, 15A-120/277 Vac

TOGGLE SWITCHES



N0447

- Bat handle
- All switches rated 15A, 125/250 Vac

Part No.	Description
N0447	SPST, On-Off
N0454	SPDT, On-On
N0455	DPST, On-Off
N0494	DPDT, On-Off-On