NATIONAL REFRIGERATION PRODUCTS

AIR-ACETYLENE EQUIPMENT

FEATHER FLAME ACETYLENE KITS



Economically priced air fuel kit which has a tip design that produces excellent flame characteristics for soldering and light brazing.

Contains NHA12 hose, NEA1G regulator, NAA1 handle and NBA4 tip.

Part No.	Tip No.	Regulator Fitting	
NKA37H	NBA4	"B" Cylinder	

TARGET® TORCH ACETYLENE KITS



Kits feature the very hot compact adjustable Target Tips for professional soldering and brazing applications. Kits also include a quick disconnect handle, UL listed regulator, hose and accessories.

Part No.	Tip No.	Regulator Fitting	
NKX4B	NGA5, NGA14	"B" Fitting	
NKX5B	NGA5	"B" Fitting	
NKX6MC	NGA3, NGA8	"MC" Fitting	

TARGET® TIPS



- Very hot turbine flame
- Tips have a filter and removal orifice
- Tips fit NGG-4 handle
- Interchangeable with other quick disconnect style tips
- Unique mixer design cuts brazing time by 30% over conventional tips

Part No.	Flame Diameter	Soft Solder	Silver Solder
NGA3	1/4"	1/4" - 1"	1/8" - 1/2"
NGA5	5/16"	3/4" - 1-1/2"	1/4" - 3/4"
NGA8	3/8"	1" - 2-1/2"	1/2" - 1"
NGA11	7/16"	1-1/2" - 3-1/4"	3/4" - 1-1/2"
NGA14	1/2"	2" - 4"	1" - 2"
NGA32	3/4"	3" - 6"	1-1/2" - 4"

ACET-O-LOTE TIPS (THREADED, SCREW-IN)



- Quiet, adjustable flame
- Fits NAA1 handle

- Economically priced
- Replaces Prestolite[®], Uniweld[®]

Adjustable tips that do not burn up

• Made of heavy stainless steel and brass

Part No.	Flame Diameter	Soft Solder
NBA1	1/16"	1/16" - 1/8"
NBA2	1/8"	1/8" - 1/4"
NBA3	3/16"	1/4" - 1/2"
NBA4	1/4″	1/2" - 1"
NBA5	5/16"	1" - 1-1/2"
NBA6	7/16"	2" - 4"

EZE-LITE TIPS



- Innovative spark igniting turbine flame tip ignites with the push of a button
- Interchangeable with other quick disconnect style tips
- Removable / cleanable orifice

• Tips fit NGG-4 handle

Part No.	Flame Diameter	Soft Solder	Silver Solder	
NGA3L	1/4"	1/4" - 1"	1/8" - 1/2"	
NGA8L	3/8"	1" - 2-1/2"	1/2" - 1-1/2"	
NGA14L	1/2"	2" - 4"	1" - 2"	

NATIONAL REFRIGERATION PRODUCTS

AIR-ACETYLENE EQUIPMENT

SNAP-IN STYLE HANDLE



- This handle has a quick disconnect to rapidly change tips
- Comfortable grooved handle is made of very durable materials
- Uses 3/8-24 LH "A" hose fittings
- The Target® Torch handle will work with all "NGA" style tips

Part No.	Description	
NGG4	Target® Torch Snap-In Style Handle	

SCREW-IN STYLE HANDLE



- This handle has the adjustment valve in front for single hand operation
- Needle valve design enables very fine flame adjustments
- This torch will keep your tips burning efficiently in drafts, winds and adverse conditions
- Made with quality brass and durable materials
- Uses standard 3/8-24 LH "A" size hose fittings
- Acet-O-Lite® torch will work with all "NBA" style tips

Part No.	Description
NAA1	Acet-O-Lite® Screw-In Style Handle

ACETYLENE REGULATORS



NEA1G

- UL Listed regulators, manufactured of solid brass, are made for rugged use.
- Specially designed conical seat and neopropene diaphragm
- The inlets have filters to prevent dirt from entering the regulator
- "A" hose fitting 3/8-24 LH

Part No.	Description	
NEA1G NEA2G	B Cylinder Connection MC Cylinder Connection	

ACETYLENE HOSE



- ullet Hose assemblies are made of quality 7/16" OD x 3/16" ID single ply fabric reinforced grade R hose
- Has 200 PSI working pressure

Part No.	Description
NHA36	Hose 6' Long with "A" 3/8-24 Connections
NHA312	Hose 12' Long with "A" 3/8-24 Connections
NHA325	Hose 25' Long with "A" 3/8-24 Connections

SNAP ADAPTOR



Adapts the NRP wide variety of threaded pencils, brushes or $\mathsf{Target}^{\texttt{®}}$ Tips to torch handles with snap-in design.

Part No.	Description
NBRS665	Quicky-Adapter

NATIONAL REFRIGERATION PRODUCTS

AIR-ACETYLENE EQUIPMENT

ACETYLENE STANDS



- Heavy duty steel stand with hose rack, support base and handle
- Ideal stand for air-acetylene kits

Part No. Description

NC800 For MC Size Acetylene Cylinders

NC850 For B Size Acetylene Cylinders

CYLINDER ADAPTER MC TO B



Part No. Description

NBRS364 MC Cyl. to B Reg. Adapter

CYLINDER ADAPTER B TO MC



Part No. Description

NBRS365 B Cyl. to MC Reg. Adapter