AIR-ACETYLENE EQUIPMENT

FEATHER FLAME ACETYLENE KITS

TORCH KIT	characteristics	Economically priced air fuel kit which has a tip design that produces excellent flame characteristics for soldering and light brazing. Contains NHA12 hose, NEA1G regulator, NAA1 handle and NBA4 tip.		
/ ' 👷 👼	Part No.	Tip No.	Regulator Fitting	
	NKA37H	NBA4	"B" Cylinder	

TARGET[®] TORCH ACETYLENE KITS



Kits feature the very hot compact adjustable Target Tips for professional soldering and brazing applications. Kits also include a quick disconnect handle, UL listed regulator, hose and accessories.

Silver Solder

1/8" - 1/2"

1/4" - 3/4" 1/2" - 1"


1″ - 2″

1-1/2" - 4"

3/4" - 1-1/2"

Part No.	Tip No.	Regulator Fitting	
NKX4B	NGA5, NGA14	"B" Fitting	
NKX5B	NGA5	"B" Fitting	
NKX6MC	NGA3, NGA8	"MC" Fitting	

TARGET[®] TIPS



ACET-O-LOTE TIPS (THREADED, SCREW-IN)

	 Quiet, adjustable flame Fits NAA1 handle 		 Economically priced Replaces Prestolite[®], Uniweld[®]
1	Part No.	Flame Diameter	Soft Solder
	NBA1	1/16″	1/16″ - 1/8″
	NBA2	1/8″	1/8″ - 1/4″
	NBA3	3/16″	1/4" - 1/2"
	NBA4	1/4″	1/2″ - 1″
*	NBA5	5/16″	1″ - 1-1/2″
NBA3	NBA6	7/16″	2" - 4"

EZE-LITE TIPS

NGA3L

- Innovative spark igniting turbine flame tip ignites with the push of a button
- Interchangeable with other quick disconnect style tips
- Removable / cleanable orifice • Tips fit NGG-4 handle



AIR-ACETYLENE EQUIPMENT

SNAP-IN STYLE HANDLE

 This handle has a quick disconnect to rapidly change tips Comfortable grooved handle is made of very durable materials Uses 3/8-24 LH "A" hose fittings The Target[®] Torch handle will work with all "NGA" style tips 	
Part No.	Description
NGG4	Target [®] Torch Snap-In Style Handle

SCREW-IN STYLE HANDLE

 Needle valve design e This torch will keep yo Made with quality bra Uses standard 3/8-24 	djustment valve in front for single hand operation enables very fine flame adjustments our tips burning efficiently in drafts, winds and adverse conditions iss and durable materials LH "A" size hose fittings II work with all "NBA" style tips
Part No.	Description
NAA1	Acet-O-Lite [®] Screw-In Style Handle

ACETYLENE REGULATORS

- UL Listed regulators, manufactured of solid brass, are made for rugged use.
- Specially designed conical seat and neopropene diaphragm
- The inlets have filters to prevent dirt from entering the regulator
- "A" hose fitting 3/8-24 LH

Part No.	Description
NEA1G	B Cylinder Connection
NEA2G	MC Cylinder Connection

ACETYLENE HOSE

NEA1G



- Hose assemblies are made of quality 7/16" OD x 3/16" ID single ply fabric reinforced grade R hose
 - Has 200 PSI working pressure

Part No.	Description
NHA36	Hose 6' Long with "A" 3/8-24 Connections
NHA312	Hose 12' Long with "A" 3/8-24 Connections
NHA325	Hose 25' Long with "A" 3/8-24 Connections

SNAP ADAPTOR



Adapts the NRP wide variety of threaded pencils, brushes or Target® Tips to torch handles with snap-in design.

 Part No.	Description	
NBRS665	Quicky-Adapter	

AIR-ACETYLENE EQUIPMENT

ACETYLENE STANDS

	 Ideal stand for air- 	stand with hose rack, support base and handle acetylene kits
Na	Part No.	Description
	NC800	For MC Size Acetylene Cylinders
	NC850	For B Size Acetylene Cylinders

CYLINDER ADAPTER MC TO B



Part No. NBRS364 Description MC Cyl. to B Reg. Adapter

CYLINDER ADAPTER B TO MC



Part No. NBRS365 Description B Cyl. to MC Reg. Adapter

OXY-FUEL EQUIPMENT

"125" WELDING / BRAZING KITS



- Handle has rear valves and is UL Listed
- Includes welding handle regulators, 12' hose and 2 brazing tips for numerous applications
 Kits are prematched to different tank sizes and portable carts and carrying stands are available.

Part No.	Description
NKA125M	Kit for MC Tank
NKA125B	Kit for B Tank

STUBBY STYLE WELDING / BRAZING KITS



• Stubby style tips have a short heavy duty design which maximizes movement in close areas	3
• Includes a UI torch regulators 12' hose and 2 stubby tips for tight areas	

- Torch is compact and durable
- Various other tips are available

Part No.	Description
NKA700M	Stubby Style Kit for MC Tank
NKA700M12P	Stubby Style Kit for MC Tank with Plastic Cart

OXY-FUEL EQUIPMENT

WELDING & BRAZING TORCH

Part No.	Description
NTW141TA	Welding Torch with "A" Hose Fittings and Rear Valve Design

STUBBY STYLE WELDING & BRAZING TORCH



Front needle valves give precise flame control
 "A" hose fittings
 Use with Stubby-style 2033 or Standard-style 3033 tips
 Part No.
 Description
 NTC15WA
 Compact Brazing Torch with "A" Hose Fitting

REPLACEMENT WELDING / BRAZING / HEATING TIPS (Standard Size)

	 Fits all NRP oxy-fue 	el handles	
	Part No.	Description	Brazing Capacity
	N30331	Replacement Welding Tip #1	1/4 to 1″
	N30333	Replacement Welding Tip #3	1/2 to 1-3/8"
N30333	N3033H15	Heating Tip (Small)	Up to 1-1/2"
	N3033H30	Heating Tip (Medium)	Up to 3"
	• Fits Prestolite [®] ox	y-fuel handles	
	Part No.	Description	Brazing Capacity
N3033H30	N32001	W-200 Welding Tip #1	1/4 to 1″
4	N32002	W-200 Welding Tip #2	1/2 to 1-3/8"
	N325015	W-200 Heating Tip #15	Up to 1-1/2"
	N325030	W-200 Heating Tip #30	Up to 3"
L			

STUBBY STYLE WELDING & BRAZING TIPS

• Fits all NRP oxy-fuel handles

• Short heavy duty design

• Rugged and designed for commercial applications

Cives up close control and maximizes movement in tight areas

N2033 N2033H15 N2033H15 N2066T

the second

- Ch

N2077G

N2011F

Part No.	Description	Brazing Capacity
N20330	Welding & Brazing Tip	3/16 to 3/4"
N20331	Welding & Brazing Tip	1/4 to 1″
N20333	Welding & Brazing Tip	1/2 to 1-3/8"
N2033H15	Heating Tip	Up to 1-1/2"
N2066T00	Twin Tip	Up to 1-1/2"
N2066T0	Twin Tip	Up to 1"
N2066T1	Twin Tip	Up to 2"
N2077G00	G Brazing Tip	Up to 1/2"
N2077G0	G Brazing Tip	Up to 1"
N2077G1	G Brazing Tip	Up to 1-1/2"
N2077G2	G Brazing Tip	Up to 2"
N2077G3	G Brazing Tip	Up to 3"
N2011F6	Flex Tip 6"	Up to 1-1/2"
N2011F10	Flex Tip 10"	Up to 1-1/2"

OXY-FUEL EQUIPMENT

REPLACEMENT CUTTING TIPS

	Part No.	Description	
	N23200	Replacement Cutting Tip, Small #0	
N23201	N23201	Replacement Cutting Tip, Medium #1	
1123201	N23202	Replacement Cutting Tip, Large #2	

CUTTING ATTACHMENT

	Part No.	Description
	NTC23CAT	Cutting Attachment with 2320 #1 Tip (N23201)

OXY-FUEL REGULATORS



These UL listed regulators are manufactured from durable brass with a neopropene rubber diaphragm, inlet filters and conical seat design. NRP regulators give the constant and accurate gas flow that is needed by professionals.

Part No.	Description
NEA25MA	Dual Gauge Acetylene Regulator for MC Tank
NEA25BA	Dual Gauge Acetylene Regulator for B Tank
NEO25A	Dual Gauge Oxygen Regulator

DUAL OXY-ACETYLENE HOSES

NSW12A

Part No. NSW12A NSW25A

Description Dual Oxy-Acetylene Hose Kit, 12' x "A" Fittings Dual Oxy-Acetylene Hose Kit, 25' x "A" Fittings

PROPANE / MAPP SWIVEL TORCHES



• Hot turbine flame ${\scriptstyle \bullet}$ Used with either propane or ${\sf MAPP}^{\scriptsize {I\!\!R}}$ gas 360 degree tip rotates to any position

- · Heavy duty brass regulator
- Stainless steel tip ends
- Instant ignitor available with NGP360L

Part No. NGP360R NGP360L Description Swivel Torch for Disposable Cylinders Swivel Torch for Instant Ignitor

LEAK DETECTOR



Leak detector for use with disposable propane or $MAPP^{\textcircled{R}}$ gas cylinders. The flame, when adjusted to heat the reactor plate, quickly changes color as the search hose passes a refrigerant leak.

- Features
- 24" search hose
- · Blackened shell to easily observe flame color
- Replacement parts available

Part No.	Description
NGP18R	Leak Detector

Leak Detector

OXY-FUEL EQUIPMENT

OXY-FUEL CYLINDER STAND & CART



Part No. NC1200P NC1300

Description

Plastic Stand for 20 cu. ft. Oxygen and 10 cu. ft. MC Acet. Steel Cart for 40 cu. ft. Oxygen and 40 cu. ft. B Acetylene

NITROGEN REGULATOR



NEN450F	1/4" Flare Male Outlet Fitting
Part No.	Description
 Forged brass body 	
 Heavy duty regulator 	delivers pressure and volume most requested by professionals

REPLACEMENT GAUGES

ir acetylene, oxygen and fuel r	egulato	rs
Description		
Flat Gauge for NEA1G	1-1/2″	0 - full
Upright Gauge	1-1/2″	0 - full
For NEA25 Series	2″	0 - 30#
For NEA25 Series	2″	0 - 400#
For NEO25 Series	2″	0 - 100#
For NEO25 Series	2″	0 - 4000#
	Description Flat Gauge for NEA1G Upright Gauge For NEA25 Series For NEA25 Series For NEO25 Series	Flat Gauge for NEA1G1-1/2"Upright Gauge1-1/2"For NEA25 Series2"For NEA25 Series2"For NEO25 Series2"

SINGLE FLINT LIGHTER

0	Part No.	Description	
	N3011	Single Flint Lighter (Flint Included)	
N3011	N3011X	Renewal Flints (5 Each)	

CYLINDER WRENCH

~	Part No.	Description	
	NMA2	Cylinder Wrench	

ADAPTER (TORCH / REGULATOR TO HOSE)

	Part No.	Description	
		NBRS341	"A" LHF to "B" LHM
	NBRS341	NBRS342	"A" RHF to "B" RHM

REACTOR PLATE

