NATIONAL REFRIGERATION PRODUCTS

1/4" REFRIGERANT HOSES

NRP Charging Hoses are nylon lined, have low porosity and exceed Goodyear specifications for permeability.

They are UL approved. Suitable for R12, R134a, R22, R500, R502, R410A and HCFC blends.



Max W.P. 800 Psi Burst 4000 Psi

Part No.	Color	Length*
N36R	Red	
N36B	Blue	36"
N36Y	Yellow	
N48R	Red	
N48B	Blue	48"
N48Y	Yellow	
N60R	Red	
N60B	Blue	60"
N60Y	Yellow	
N72R	Red	
N72B	Blue	72"
N72Y	Yellow	
N96R	Red	
N96B	Blue	96"
N96Y	Yellow	
N144R	Red	
N144B	Blue	12′
N144Y	Yellow	
N300R	Red	
N300B	Blue	25′
N300Y	Yellow	
N600R	Red	
N600B	Blue	50′
N600Y	Yellow	

1/4" POSITIVE SHUT-OFF REFRIGERANT HOSES



Part No.	Color	Length*
NBV36Y	Yellow	36"
NBV60Y	Yellow	60"
NBV72Y	Yellow	72"

1/4" HOSE KITS Contains 1 each Red, Blue and Yellow Hose.



Part No.	Length*
N36RBY	36"
N48RBY	48"
N60RBY	60"
N72RBY	72"
N96RBY	96"

1/4" REFRIGERANT HOSES WITH BALL VALVE



Refrigerant hose with ball valve for positive shut-off of refrigerant flow. Can be connected to other hose lengths.

Part No.	Hose Size	Length*
N6BV	1/4"	6"
N10BV	1/4"	10"

NATIONAL REFRIGERATION PRODUCTS

3/8" HEAVY DUTY BLACK REFRIGERANT HOSES



Max W.P. 800 psi Burst 4000 psi

Part No.	Length*	Fittings
NHD3836S	36"	
NHD3848S	48"	
NHD3860S	60"	2-straight
NHD3872S	72"	connections
NHD3896S	96"	
NHD38144S	12′	
NHD38300S	25′	UL approved. Suitable for R12, R134a, R22
NHD38600S	50′	R500, R502, R410A & HCFC blends.

CORE REMOVER TOOL



1/4" Schrader Core Removal Tool provides system access without venting.

Part No.	Description	Quantity
CRT	Core Remover Tool	1
CD5555	CRT O-Ring Repair Kit	1

SHUT-OFF VALVES



NBV14MM

These simple but effective ball shut-off valves make tank and unit switching easy and fast. Valves close the hoses and prevent unnecessary venting connections.

Part No.	Description	Quantity
NBV14MM	1/4" MFL x 1/4" MFL	1
NBV14FM	1/4" FFL x 1/4" MFL	1

PRESSURE GAUGES





Part No.	Description	Color
N2000	High Side Pressure Gauge 0-500#	Red
N2001	Low Side Compound Gauge, 30" - 120#	Blue
N2002	Low Side Gauge 30" - 120# R507, R404A, R134a	Blue
N2003	High Side Gauge 0 - 500# R507, R404A, R134a	Red
N2004	High Side Gauge 0 - 800# R22, R407C, R410A	Red
N2005	Low Side Gauge 30" - 250# R22, R407C, R410A	Blue

HOSE ACCESSORIES

8388	1900
10000	26
	\$38 <u>4</u>

NH06KIT

Part No.	Description	Quantity
NH06KIT 3/8" Seal Gasket 10 pcs., Depressor 10 pcs.,		
	1/4" Seal Gasket 10 pcs., 3/8" Finger Tight	1
	O-Ring Cap 2 pcs., Valve Core 5 pcs., Plastic	
	Valve Core Tool 2 pcs., 1/4" Finger Tight	
	O-Ring Cap 6 pcs.	
NABKIT	Anti-Blow Back Fitting Repair Kit	1
	Barb Head with O-Ring, Replacement O-Rings	
NH05001	1/4" Hose Gaskets	10/pack
NH03016	Valve Cores	5/pack
NH05007	Hose Depressors	10/pack
NH01013	3/8" Hose Gaskets	10/pack

^{*}Consult NRP for custom lengths on all refrigerant hoses.

NATIONAL REFRIGERATION PRODUCTS

1/4" ANTI-BLOW BACK REFRIGERANT HOSES



Part No.	Color	Length*
NAB36R	Red	
NAB36B	Blue	36"
NAB36Y	Yellow	
NAB48R	Red	
NAB48B	Blue	48"
NAB48Y	Yellow	
NAB60R	Red	
NAB60B	Blue	60"
NAB60Y	Yellow	
NAB72R	Red	
NAB72B	Blue	72″
NAB72Y	Yellow	

1/4" ANTI-BLOW BACK REFRIGERANT HOSE KITS



Part No.	Length*
NAB36RBY	36"
NAB48RBY	48"
NAB60RBY	60"
NAB72RBY	72"

1/4" ANTI-BLOW BACK HOSE ADAPTERS







Automatically shuts off the hose to reduce a loss of refrigerant.

Part No.	Description
NABS	Straight ABB Adapter, 1/4" FFL x 1/4" MFL
NAB45	45° ABB Adapter, 1/4" FFL x 1/4" MFL
NAB90	90° ABB Adapter, 1/4" FFL x 1/4" MFL

1/4" HEAVY DUTY BLACK REFRIGERANT CHARGING/ VACUUM HOSES



Max W.P. 800 psi Burst 4000 psi

Suitable for R12, R134a, R500, R502, R410A and HCFC blends. Pulls 75 microns vacuum or better.

Part No.	Length*
NHD1436	36"
NHD1448	48"
NHD1460	60"
NHD1472	72"

1/4" POSITIVE SHUT-OFF HEAVY DUTY REFRIGERANT HOSES



36"
48"
60"
72"

^{*}Consult NRP for custom lengths on all refrigerant hoses.